

英 文 索 引

A

- acceleration sensor 7.5.2.21
 activated sludge process 6.8.5
 actual irrigated area 11.9.34
 adjacent layout of irrigation canal
 and drainage ditch 4.5.1.48
 adjustable vane regulation 7.2.6.11
 adsorption 10.2.2
 advance ratio 4.3.6.4
 advanced sewage treatment 6.8.7
 advanced treatment 6.4.14
 adverse slope 8.3.13
 aeration 6.4.6
 aging and damage evaluation 8.6.10
 aging evaluation on project 11.6.5
 agricultural survey of irrigation district
 11.1.3
 agrochemical 10.1.1
 agro-technique for water saving 3.2.6
 air cooler 7.3.5.11
 air release valve 4.5.2.12
 air system 7.3.5.4
 air valve 4.5.2.10
 air-lift pump 7.1.2.5
 alternate furrow irrigation 4.3.3.6
 alternately wetting and drying irrigation
 for rice field 4.3.7.1
 alternative irrigation with saline water
 and fresh water 4.4.1.11
 amelioration of irrigation district
 3.8.2
 amplitude of pumping station capacity
 7.1.4.5
 anaerobic decomposition 10.1.7
 animal product unit 9.1.10
 annual operation and maintenance cost
 11.9.29
 annual repair 11.3.3
 anti-wear protection with metallic spray
 coating 7.2.8.4
 application rate of sprinkler water
 4.3.4.18
 appropriate percolation rate 5.1.1.22
 aqueduct 8.1.2.2
 area for water regulation and
 retardation 5.2.1.20
 area for water retardation 5.2.1.21
 area with agriculture and stock raising
 9.1.2
 arterial drainage ditch 5.2.1.8
 artificial grassland 9.1.4
 artificial recharge to groundwater
 4.4.5.20
 artificial sedimentation 4.5.1.70
 artificial wetland 10.3.14
 assessment of irrigation district 3.8.5
 assessment of water and land resources
 in irrigation district 11.9.16
 assessment of water and land resources
 in pastoral area 3.6.1
 atmospheric drought 4.1.5.2
 auto flush valve 4.5.2.16
 auto hydrant 11.8.3
 automatic monitoring and controlling
 system for structure 11.8.12
 automatic recorder of water level 11.7.6
 auxiliary equipment of pumping station
 7.3.5.1
 auxiliary pump 7.3.1.3
 auxiliary transformer for pumping
 station 7.3.4.3
 available grassland area 9.1.9
 available net positive suction head
 7.2.3.13
 available soil water content 4.1.2.17
 awl survey 12.4.11

critical groundwater dept	5.2.6.4
critical net positive suction head	7.2.3.12
critical period of crop water requirement	4.1.1.3
critical steel ratio	8.2.11
critical vacuum suction lift	7.2.3.16
critical water content of frost heaving	4.5.1.66
crop canopy temperature	4.1.1.12
crop coefficient	4.1.3.10
crop damage by cold water irrigation	10.3.3
crop development stage	4.1.1.4
crop drought tolerance	4.1.1.14
crop evapotranspiration coefficient	4.1.3.9
crop evapotranspiration	4.1.3.2
crop water consumption	3.2.1
crop water deficit	4.1.1.7
crop water physiologic index	4.1.1.2
crop water potential	4.1.1.9
crop water production function	4.1.4.1
crop water requirement	4.1.3.5
crop water stress index	4.1.1.8
crop water use efficiency	4.1.4.5
cropping pattern planning	11.1.6
cropping pattern	4.2.2.2、11.1.7
cross section of irrigation canal	4.5.1.26
crossing structure	8.1.2.1
culvert	8.1.2.3、12.3.5
culvert-type sluice	8.1.1.10
current meter method	7.5.2.5
current meter	11.7.8
cutoff and straightening	5.1.2.23
cutting regulation	7.2.6.10
cut-off dam	12.4.12
cut-off device	7.3.5.18
cut-throat measuring flume	11.7.11
cycle index	4.3.6.2
cycle time	4.3.6.3

D

daily maximum water consumption	6.2.12
daily variation ratio	6.2.13

days of drought control	4.2.2.5
debris cleaning device	7.3.5.17
decision support system for irrigation water use	11.8.14
deep percolation	4.2.1.14
deep well pump	7.2.1.4
deficit irrigation	4.2.1.19
deflected current	8.2.8
defluoridation	6.4.9
deformation observation	8.5.1
degraded grassland	9.4.4
delivered power measurement by loss analysis method	7.5.2.16
dendrite drainage pattern	5.2.2.6
denitrification	10.2.5
depreciation cost	11.9.30
depth of crop submergence tolerance	5.2.4.9
depth of groundwater table	4.4.5.4
depth of subsurface pipe	5.2.4.22
desalinization ratio	5.2.6.12
desalinization	5.2.6.7
design capacity of drainage pumping station	7.1.3.24
design capacity of irrigation pumping station	7.1.3.23
design capacity of sprinkler irrigation system	4.3.4.25
design criteria for surface drainage	5.2.4.2
design criterion for subsurface water control	5.2.4.15
design discharge for waterlogging control	5.2.4.4
design discharge of irrigation canal	4.5.1.8
design head of pumping station	7.1.3.18
design head of sprinkler irrigation system	4.3.4.26
design level of outlet sump	7.1.3.10
design level of suction sump	7.1.3.5
design parameters of pumping station	7.1.3.1
design storm	5.2.4.11

design storm period	5.2.4.12	division of drainage district	5.2.3.4
design water level of outside exterior	5.2.4.6	domestic sewage flow	6.7.4
designed discharge of drip irrigation system	4.3.5.14	downstream regulation	11.8.16
designed discharge of emitter	4.3.5.13	drain depth	5.2.4.22
designed irrigation area	11.9.32	drain pipe clogging	5.4.2
designed moisting soil depth	4.2.1.9	drain spacing	5.2.4.23
designed operating pressure of emitter	4.3.5.12	drain tile	5.1.3.1
designed water head of drip irrigation system	4.3.5.15	drainable porosity	4.4.5.17
dethridge flow meter	11.7.7	drainage density	5.2.3.5
device for fertilizer (chemical) application	4.3.5.17	drainage depth for preventing subsurface water logging	5.2.4.18
differential pressure transducer	7.5.2.12	drainage device	7.3.5.8
digital tachometer	7.5.2.18	drainage ditch	5.2.1.7
direct drive	7.3.2.3	drainage ditch depth	5.2.4.20
direct water supply	7.3.5.9	drainage ditch space	5.2.4.21
discharge aqueduct	8.1.4.4	drainage experiment	3.3.3
discharge of pumping station	7.1.3.22	drainage for village and town	3.1.9
discharge outlet	12.2.13	drainage of polder area	5.2.5.2
discharge pipe	7.3.3.4	drainage period for waterlogging control	5.2.4.7
discharging elbow	7.4.2.31	drainage pumping station	7.4.1.3
discounted rate	11.9.2	drainage reception area	5.2.1.22
disinfectant	6.5.12	drainage sluice	8.1.4.3
disinfection	6.4.11	drainage system	3.4.6
dispatching management of pumping station	7.6.3.7	drainage system design	5.2.4.1
dispersed water supply	6.1.10	drainage system for waterlogging control	5.2.1.5
displacement pump	7.2.1.1	drainage system planning	5.2.3.3
distribution of sprinkler water	4.3.4.17	drainage with gravity	5.1.1.19
distribution pumping station	6.5.15	drainage with multiple pipe system	5.2.2.4
distribution system	6.5.17	drainage with single pipe system	5.2.2.3
ditch network	12.1.5	draw off flow by waste stream	12.2.11
ditch retardation	5.2.4.14	drift losses	4.3.4.54
diversified economic management of irrigation district	11.5.6	drinking water in rural area	6.1.1
diversion and pumping	4.4.1.2	drinking water source protection	6.6.2
diversion pier	7.4.2.5	drip irrigation by gravity	4.3.5.5
diversion sluice	8.1.1.8	drip irrigation by power and pump	4.3.5.4
diversion structures of pumping station	7.4.2.2	drip irrigation hose	4.3.5.21
		drip irrigation system	4.3.5.1
		drip irrigation under ground membrane	4.3.5.6

drip irrigation with gravity	4.3.5.9
drip irrigation	4.3.1.11
drop	8.1.3.1
drought	4.1.5.1
drought-resistant agent	4.7.9
dry paddy field	4.2.1.5
dry-hot wind	4.1.5.7
dushuijian	12.6.4
dynamic balancing of pump rotor	7.5.1.2
dynamic irrigation water allocation in canals	11.4.5
dynamic regulation	11.8.15
dynamic water level in well	4.4.5.6
dynamic water level of well	4.4.5.7
dynamic water use program	11.4.3

E

earth compaction factor	8.3.17
earth-rock excavation	8.3.11
eccentric reducer	7.3.3.7
ecological benefit	11.9.28
ecological water requirement of crop	4.1.3.7
economic benefit of drainage	11.9.23
economic calculation period	11.9.3
economic flow velocity in pipe	7.3.3.1
economic index of pumping station	7.6.2.1
economic operation of pumping station	7.6.3.8
economic pipe size	7.3.3.2
eco-environment assessment of irrigation district	11.9.13
effective drainage depth	5.2.3.2
effective irrigation area	11.9.33
effective power of pumping station	7.1.3.28
effective power of pumping system	7.1.3.29
effective power	7.2.3.8
effective rainfall	4.2.1.15
efficiency of inlet and outlet sump	7.1.3.33
efficiency of power machine	7.3.1.5

elastic drainable porosity	4.4.5.18
elbow inlet conduit	7.4.2.15
elbow pipe	7.3.3.9
electric equipment of pumping station	7.3.4.1
elimination of potential danger and reinforcement	11.6.4
embankment type pumping house	7.4.2.20
emergence shut-down	7.6.1.6
emergency gate	7.3.6.2
emitter	4.3.5.20
emitter system	4.3.5.19
endemic disease resulted from water quality	10.3.5
energy-saving technology of pumping station	7.6.3.14
engineering for irrigation water	4.4.4.1
envelope material	5.1.3.4
environment management of irrigation region	3.7.3
epoxy-mortar coating	7.2.8.6
equipment aging of pumping station	7.6.3.13
equipment fault	7.6.3.3
equipment intact rate	7.6.2.2
equipment of pumping station	3.5.4
erosion	8.6.3
escape canal	4.5.1.6
escape sluice	8.1.4.2
eutrophic water	6.3.4
eutrophic water treatment	6.4.18
eutrophication	10.1.2
evaluation of irrigation and drainage project	11.3.2
evaluation of technical status	7.6.3.12
evaporation from phreatic water	5.1.1.18
evaporation from shallow groundwater	4.1.2.31
excavator	5.1.4.1
excessive soil water	5.1.1.3
expansion joint	7.3.3.13
experiment for sliding prevention of open ditch side	5.3.7

experiment on critical groundwater depth 5.3.8
 experiment on crop salt tolerance 5.3.5
 experiment on crop submergence tolerance 5.3.3
 experiment on subsurface waterlogging tolerance of crop 5.3.4
 experiment on surface and subsurface waterlogging tolerance of crop 5.3.6
 experiment treatment 4.6.8
 experimental plot 4.6.1
 expired operation 11.3.10
 exploitable groundwater 4.4.5.2
 exterior drainage pumping station 7.4.1.6

F

factor of multiple-outlets 4.3.4.31
 falling 11.3.7
 farm canal system 4.5.1.44
 farming bridge 8.1.2.7
 farmland drainage system 3.3.2
 farmland drainage 3.3.1
 farmland pollution 3.7.1
 farmland surrounded by ditch and channel 12.1.9
 farmland with detritus 12.1.6
 farmland with ditch network 12.1.1
 farmland with plank platform 12.1.8
 farmland works planning 11.1.8
 farmland works 4.5.1.43
 fascine 12.3.14
 fascine pitching 12.3.15
 fenced pasture 9.3.1
 fengbiao 12.6.14
 field canal 4.5.1.5
 field capacity 4.1.2.14
 field ditch network 5.2.3.7
 field drainage ditch 5.2.1.9
 field method 4.6.4
 field regulating network 5.2.1.18
 field retardation 5.2.4.13
 field works completeness 11.6.7
 filter 4.3.5.33
 filter material 5.1.3.3

filtration 6.4.4
 financial analysis 11.9.8
 financial management of construction 8.4.2
 fish mouth 12.3.9
 fissure 8.6.1
 fissure water 4.4.5.11
 fixed drip irrigation system 4.3.5.2
 fixed pipeline 4.5.2.6
 fixed sprinkler irrigation 4.3.4.11
 fixed sprinkler system 4.3.4.4
 fixed wheel gate 7.3.6.6
 flange 7.3.3.14
 flap valve 7.3.5.20
 flap valve with counterweight 7.3.5.22
 flexible connection 7.3.2.9
 float gauge 11.7.14
 floating pumping station 7.4.1.11
 floating pumping system 7.1.2.6
 flocculation tank 6.5.6
 flood diversion 5.1.2.19
 flood diversion irrigation 4.4.1.3
 flood diversion sluice 8.1.4.1
 flood irrigation 4.3.1.7
 flood storage and reclamation 5.2.5.11
 flood-control and canal governor 12.6.6
 flood-control law 12.6.10
 flood-control standard of pumping station structure 7.1.3.2
 flood-prevent water level of pumping station 7.1.3.4
 flotation 6.4.5
 flotation tank 6.5.9
 flow rate measurement of pumping station 7.5.2.4
 flow rate of pumping station 7.1.3.22
 flow regulator 4.5.2.11
 flow simulation of pumping station 7.5.2.3
 flow straightener 4.3.4.53
 flume 8.1.2.2、12.3.10
 flushing gate 7.3.6.5
 flushing machine for drain pipe 5.1.4.5

flushing sluice 8.1.1.6
 fly canal 12.3.10
 fodder basis 9.3.3
 footing levee 12.4.6
 forage land 9.1.6
 forage yield 9.1.14
 fore-bay 7.4.2.4
 foundation stabilization 8.5.8
 free discharge of pipe flow 8.2.3
 free flap valve 7.3.5.21
 freshening 6.4.10
 frictional head loss 8.2.1
 frost heave breakage 8.6.7
 frost heave pressure 8.2.9
 frost heaving 4.5.1.65
 frost thawing breakage 8.6.8
 fulin stone-fish 12.6.16
 fully penetrating well 4.4.4.17
 funnel of groundwater depression 4.4.5.5
 furrow irrigation 4.3.1.5

G
 gantry crane 7.3.6.10
 gate 7.3.6.1、8.1.1.3
 gate valve 7.3.3.15
 gate with flap 7.3.6.8
 gated pipeline 4.3.6.5
 gated-pipe irrigation 4.3.1.15
 gear drive 7.3.2.10
 general construction schedule 8.3.3
 geomembrane 8.3.19
 geotextile 8.3.18
 gongcheng 12.4.13
 grade estimation of equipment 7.6.3.4
 grade estimation of projects 7.6.3.6
 grass and stocklive balance 9.1.15
 grassland desertification 9.4.5
 grassland improvement 9.4.8
 grassland irrigation 3.6.2、9.3.4
 grassland type 9.1.3
 grassland without water source 9.2.2
 grassland yield 9.1.13
 grated-bottom intake 4.4.4.10
 gravity drainage 5.1.2.15

gravity irrigation 4.4.1.1
 gravity pressure sprinkler system 4.3.4.9
 gross benefit of water supply for
 pasture 9.2.15
 gross discharge of canal 4.5.1.12
 groundwater aquifer 4.4.5.14
 groundwater balance 4.4.5.25
 groundwater pollution 10.3.8
 groundwater pollution evaluation 10.3.10
 groundwater quality monitoring 10.3.7
 groundwater recharge 4.4.5.3
 groundwater regime 5.1.1.21
 groundwater storage 4.4.5.1
 groundwater transmissibility 4.4.5.22
 groundwater yield module 4.4.5.9
 group well confluence 4.4.5.19
 gudui-spring 12.2.3
 guide vane 7.2.2.6

H

hammer type of rain gun 4.3.4.45
 hanping 12.4.20
 head gate 8.1.1.4
 heading and stretching bond 12.4.7
 headwork of microirrigation system 4.3.5.16
 heating equipment 7.3.5.16
 heavy metal 10.1.3
 hediyezhe 12.6.5
 hengsheng 12.5.3
 herringbone system 5.2.2.1
 high elevation water tank 6.5.21
 high fluorine content water 6.3.6
 highest head of pumping station 7.1.3.20
 highest level of outlet sump 7.1.3.9
 highest operation level of outlet sump
 7.1.3.11
 highest operation level of suction sump
 7.1.3.6
 highway bridge 8.1.2.6
 high-turbidity water 6.3.2
 high-turbidity water treatment 6.4.16
 histogram of irrigation water use 4.2.2.7
 hoist 7.3.6.9

- hoisting equipment 7.3.5.14
- horizontal displacement observation 8.5.2
- huitu 12.3.20
- hydrant 4.5.2.14
- hydraulic automatic gate 11.8.1
- hydraulic control flap valve 7.3.5.25
- hydraulic drive 7.3.2.5
- hydraulic parameter monitoring system
..... 7.6.3.2
- hydraulic ram pump 7.2.1.10
- hydraulic regulator 11.8.5
- hydrological survey of irrigation district
..... 11.1.1
- hydro-blower 12.5.5
- hydro-cone 7.4.2.17
- hydro-dynamic dispersion 10.2.7
- hydro-hammer 12.5.7
- hydro-mill 12.5.6
- hydro-wheel 12.5.8
- I**
- impact driven sprinkler 4.3.4.42
- impeller 7.2.2.1
- impeller blade 7.2.2.2
- impermeable layer 8.5.7
- impervious layer 8.5.7
- inclined pipe inlet 4.4.4.6
- indirect drive 7.3.2.4
- indirect water supply 7.3.5.10
- industrial wastewater flow 6.7.5
- inflow cutoff 4.3.2.8
- inflow rate 4.3.3.2
- information collecting system in irrigation
district 11.8.8
- information technology of pumping
station 7.6.3.15
- inlet conduit 7.4.2.14
- inlet pipe 7.3.3.3
- inlet structure of pumping station
..... 7.4.2.3
- inlet (outlet) level amplitude of
pumping station 7.1.4.4
- input power measurement by two
watt-meters 7.5.2.17
- input power of pump system 7.1.3.27
- input power of pump 7.2.3.5
- input-output analysis 11.9.10
- inspection well 5.4.3
- installation and testing of pumping unit
..... 3.5.6
- installation tolerance 7.5.1.5
- intake structure of pumping station
..... 7.4.2.1
- intake with approach channel 4.4.4.4
- intake with artificial bend 4.4.4.8
- intake with dam 4.4.4.3、12.2.7
- intake with under-sluice pocket 4.4.4.5
- intake without dam 4.4.4.2、12.2.6
- intake works 6.5.1
- intensity of dripping water 4.3.4.20
- intercepting ditch 4.4.3.8、5.2.1.10
- intercepting subsurface pipe 5.2.1.12
- interception drainage 5.1.2.9
- internal drainage pumping station 7.4.1.7
- internal rate of return 11.9.4
- inverted siphon 8.1.2.5
- in-line emitter 4.3.5.22
- iron removal 6.4.7
- irrigation 3.1.6
- irrigation amount in whole season 4.2.1.3
- irrigation and drainage 3.1.2
- irrigation and drainage by well 5.1.2.11
- irrigation based on rice leaf age model
..... 4.3.7.5
- irrigation by intercepting groundwater
flow 4.4.1.6
- irrigation canal design 4.5.1.15
- irrigation canal system 4.5.1.1
- irrigation development survey 11.2.2
- irrigation district reconnaissance 11.2.1
- irrigation district 3.1.7
- irrigation environment medical
assessment 10.3.12
- irrigation experiment 3.2.5
- irrigation forecasting 11.4.4
- irrigation frequency curve 4.2.2.8
- irrigation furrow 4.3.3.1

irrigation informationization	3.8.4
irrigation law	12.6.7
irrigation management organization	11.5.1
irrigation modulus	4.2.2.9
irrigation on every other furrow	4.3.3.5
irrigation pipe network	4.5.2.1
irrigation pipe system	4.5.2.1
irrigation proclamation	12.6.15
irrigation project aging	11.3.11
irrigation project benefit	11.9.21
irrigation project completeness	11.3.12
irrigation pumping station	7.4.1.2
irrigation quota	4.2.1.2
irrigation regime	4.2.1.1
irrigation region	3.1.7
irrigation regulation	12.6.8
irrigation rule	12.6.11
irrigation schedule	4.2.1.1
irrigation scheme database	11.8.6
irrigation scheme management	3.1.13
irrigation service station	11.5.11
irrigation system improvement to increase water efficiency	11.6.1
irrigation system	3.2.4
irrigation uniformity	4.3.1.4
irrigation water charge	11.5.7
irrigation water management	3.8.1
irrigation water measurement	3.8.3
irrigation water quality	4.4.6.1
irrigation water quality standard	4.4.6.2
irrigation water use	3.2.2
irrigation with fertilized water	4.4.1.14
irrigation with high sediment content water	4.4.1.13
irrigation with mixed saline water and fresh water	4.4.1.12
irrigation with return flow	4.4.1.16
irrigation with surface water and groundwater	4.4.1.7
irrigation with tubewell	12.2.1
isogram of sprinkler water depth	4.3.4.16

J

jacking rotor	7.6.1.2
---------------------	---------

jet angle of sprinkler flow	4.3.4.50
jet pump	7.2.1.12
ji	12.4.3
jiao	12.4.14
jigao	12.5.1

K

kanat	12.2.4
Kariz well	4.4.4.19
karst water	4.4.5.12
kewu	12.3.11
key drainage structure	5.2.1.23

L

lake flow control to enhance farmland drainage	5.2.5.6
lake retardation	5.1.2.21
land and water resource balance within irrigation district	11.2.3
land leveling	4.5.1.53
land survey of irrigation district	11.1.2
land use planning of irrigation district	11.1.5
landslip	11.3.6
laser-controlled land leveling	4.5.1.54
lateral canal	4.5.1.4
lateral move sprinkling machine	4.3.4.36
lateral spacing	4.3.5.11
laterally-circularly moving sprinkler irrigation system	4.3.4.39
leached salt amount	5.2.6.11
leaching	5.2.6.8
leaching criterion	5.2.6.13
leaching quota	5.2.6.9
leaching schedule	5.2.6.15
leaching technique	5.2.6.14
leaf area index	4.1.1.13
leakage detection of pipe network	6.6.7
leakage ratio of pipe system	6.6.10
leakage reduction ring	7.2.2.8
least power method	7.1.1.3
lengthwise layout of sublateral	4.5.1.51
less-polluted water	6.3.3
less-polluted water treatment	6.4.17
levee type pump house	7.4.2.20

level border irrigation 4.3.2.1
 level impoundment furrow irrigation
 4.3.3.4
 ley 9.1.4
 libujiantu 12.4.9
 lift of hoist 7.3.6.11
 lighting distribution box 7.3.4.9
 line ditch 5.2.1.13
 lining 8.3.20
 liquid ring pump 7.2.1.9
 litter farmland canal 4.5.1.46
 load curve of motor 7.3.1.7
 local head loss 8.2.2
 long path emitter 4.3.5.25
 longitudinal section of irrigation canal
 4.5.1.41
 longitudinal slope of canal 4.5.1.27
 long-throat measuring flume 11.7.12
 looping network 4.5.2.4
 low fluorine content water 6.3.7
 low limit of soil water content for
 irrigation 4.2.1.12
 low pressure pipe irrigation 4.3.1.16
 lowest head of pumping station 7.1.3.21
 lowest operation level of outlet sump
 7.1.3.12
 lowest operation level of suction sump
 7.1.3.7
 low-turbidity water treatment 6.4.15
 low-voltage distribution panel (board)
 7.3.4.6
 lysimeter 4.6.5

M

maca 12.3.16
 magnetoelectric velocity sensor 7.5.2.22
 main canal 4.5.1.2
 main pumping unit 7.3.1.2
 main transformer 7.3.4.2
 management committee of irrigation
 district 11.5.4
 management of open drain system 5.4.7
 management of subsurface drain system
 5.4.8

management of water supply business
 6.6.12
 manganese removal 6.4.8
 marginal analysis 11.9.11
 marginal water irrigation 4.4.1.15
 matching power 7.2.3.6
 maximum daily water supply 9.2.12
 maximum discharge of irrigation canal
 4.5.1.9
 maximum water depth of paddy field
 4.2.1.8
 mean head of pumping station 7.1.3.19
 mean water level of outlet sump 7.1.3.13
 mean water level of suction sump 7.1.3.8
 measurement 12.4.17
 measuring culvert 11.7.4
 measuring flume 11.7.2
 measuring structure 11.7.1
 measuring weir 11.7.3
 mechanic balance flap valve with hydraulic
 buffer 7.3.5.26
 mechanical control flap valve 7.3.5.24
 mechanical dispersion 10.2.9
 mechanical pressure sprinkler system
 4.3.4.10
 microirrigation 4.3.1.10
 microspray irrigation system 4.3.5.30
 microspray irrigation 4.3.1.12
 mineralization 10.2.6
 mineralized degree of irrigation water
 4.4.6.3
 minimum discharge of irrigation canal
 4.5.1.10
 minimum reinforcement ratio 8.2.11
 minisprinkler 4.3.5.31
 mist degree 4.3.4.19
 mixed-flow pump 7.2.1.5
 mixing tank 6.5.5
 model test of pump system 7.5.2.1
 modulus of subsurface drainage
 5.2.4.17
 modulus of waterlogging control 5.2.4.3
 moisture conservation by tillage 4.7.6

moisture conservation with mulching	4.7.2
mole drainage	5.1.2.5
mole plough	5.1.4.4
molecular diffusion	10.2.8
monitoring of irrigation and drainage project	11.3.1
monitoring of pumping station structures	7.6.3.5
monitoring of water and salt regime	10.3.9
mortar bond	12.4.8
movable drip irrigation system	4.3.5.3
movable pipeline	4.5.2.7
movable pumping station	7.4.1.15
moveable pumping system	7.1.2.8
moving sprinkler irrigation	4.3.4.12
muddy water irrigation	4.4.1.13
multiple crop index	4.2.2.3
multi-level intake	4.4.4.7
multi-purpose pumping station	7.4.1.8
multi-stage pumping station	7.4.1.13
N	
national economic assessment	11.9.7
natural grassland irrigation	9.3.5
natural grassland	9.1.5
navigation lock	8.1.5.2
negative effect of irrigation	10.3.6
net benefit of water supply for pasture	9.2.20
net discharge of canal	4.5.1.11
net head of pumping station	7.1.3.15
net positive suction head (NPSH)	7.2.3.10
network diagram	8.3.7
network leakage	6.2.9
network maintenance	6.6.6
network with arterial river and ditch	5.2.3.6
nitrification	10.2.4
non-metallic spray coating	7.2.8.5
non-professional management organization	11.5.3

non-return valve	7.3.3.17
normal flow of irrigation canal	4.5.1.8
nozzle	4.3.4.51
nozzle pressure	4.3.4.23

O

observation of groundwater dynamic	5.4.6
office automation (OA) of irrigation scheme	11.8.9
oil cooler	7.3.5.13
oil system	7.3.5.3
on site test of pumping station	7.5.2.2
on-site access	8.3.8
open canal	4.5.1.39
open ditch drainage	5.1.2.3
open drain experiment	5.3.2
open drain system	5.2.1.1
opening angle of flap valve	7.3.5.27
open-type sluice	8.1.1.9
operating pressure of sprinkler	4.3.4.22
operation and management of pumping station	3.5.7
operation of drainage system for waterlogging control	5.4.5
optimal hydraulic cross section of canal	4.5.1.31
optimal irrigation scheduling	4.2.1.18
optimal regulation for pumping station	7.6.3.9
orifice outflow	8.2.7
orifice type emitter	4.3.5.26
orthogonal system	5.2.2.2
osmotic pressure	4.1.1.10
outlet conduit	7.4.2.32
outlet pipe	7.3.3.4
outlet structure of pumping station	7.4.2.30
outlet sump	7.4.2.39
oversaturated muddy field	5.1.1.17

P

paddy field with ponded water in winter	5.1.1.15
paique	12.3.6
parallel pumping system	7.1.2.9

- Parshall flume 11. 7. 10
- partially penetrating well 4. 4. 4. 18
- participatory irrigation management
..... 11. 5. 8
- pastoral area 9. 1. 1
- payback period 11. 9. 5
- peat layer 5. 1. 1. 20
- percentage of collected water charge
..... 11. 9. 15
- percentage of lined canal 11. 6. 6
- percentage of project in good condition
..... 11. 3. 9
- percentage of wetted soil 4. 3. 5. 7
- percolation in paddy field 4. 2. 1. 6
- perforated sprinkler line 4. 3. 4. 49
- period of crop submergence tolerance
..... 5. 2. 4. 8
- permeability 4. 4. 5. 21
- permissible unscouring velocity in canal
..... 4. 5. 1. 34
- permissible unsilting velocity in canal
..... 4. 5. 1. 35
- permitted net positive suction head
..... 7. 2. 3. 14
- permitted setting height of pump 7. 2. 7. 7
- permitted vacuum suction lift 7. 2. 3. 17
- phreatic evaporation 4. 1. 2. 31
- phreatic water 4. 4. 5. 13
- physiological drought 4. 1. 5. 4
- physiological water requirement of crop
..... 4. 1. 3. 6
- pile 12. 3. 19
- pipe network 4. 5. 2. 3
- pipe pressure regulator 4. 3. 5. 18
- pipeline efficiency of pumping station
..... 7. 1. 3. 32
- pipe-laying trencher 5. 1. 4. 2
- pit method 4. 6. 2
- pitting farmland 12. 1. 2
- planned irrigation water use 11. 4. 1
- planning of drainage system operation
for waterlogging control 5. 4. 4
- planning of irrigation canal system 4. 5. 1. 7
- planning of pumping station project 3. 5. 2
- planting in line with water 4. 7. 1
- plastic membrane pollution 10. 1. 5
- plastic mulching 4. 7. 4
- plot arrangement 4. 6. 13
- plunge 8. 1. 3. 1
- pneumatic tank 6. 5. 22
- polder 5. 2. 5. 1
- pond 4. 4. 2. 2、4. 4. 3. 4、12. 2. 8
- pool 4. 4. 2. 2
- pore water 4. 4. 5. 10
- porous pipe 4. 3. 5. 28
- portable sprinkler system 4. 3. 4. 7
- post evaluation 11. 9. 14
- pounding mallet 12. 3. 17
- pounding stone 12. 3. 18
- pounding-soil constriction 12. 4. 4
- power control box 7. 3. 4. 7
- power distribution box 7. 3. 4. 8
- power distribution unit 7. 3. 4. 4
- power equipment of pumping station 7. 3. 1. 1
- power machine 7. 3. 1. 4
- power measurement 7. 5. 2. 14
- practical weir 8. 2. 6
- preliminary design 11. 2. 4
- preseeding irrigation 4. 2. 1. 17
- pressure compensation emitter 4. 3. 5. 29
- pressure fluctuation of pump 7. 2. 3. 18
- pressure gauge 11. 7. 15
- pressure head regulator 11. 8. 4
- pressure measurement 7. 5. 2. 10
- pressure regulating tank 4. 3. 4. 40
- pressure regulator 4. 5. 2. 2
- pressure tank 7. 4. 2. 38
- pressure transducer 7. 5. 2. 11
- pre-sedimentation tank 6. 5. 4
- pre-treatment 6. 4. 13
- pre-wrapped machine for envelope of
drain pipe 5. 1. 4. 6
- primary saline-alkali land 5. 2. 6. 2
- primary sewage treatment 6. 8. 3
- probability of irrigation water requirement
..... 4. 2. 2. 4

professional management organization	11.5.2
project for storing fresh water and preventing seawater intrusion	12.2.9
project life	11.3.8
proper stocking capacity in grassland	9.1.8
protecting area	4.6.12
protective forest for pasture area	9.4.2
protective-relay device	7.3.4.10
public water consumption	6.2.7
pulse sprinkler irrigation	4.3.4.14
pump	3.5.3
pump capacity	7.2.3.2
pump cavitation	7.2.7.2
pump characteristics	7.2.5.1
pump datum level	7.2.7.1
pump discharge	7.2.3.2
pump efficiency	7.2.3.9
pump head	7.2.3.3
pump house behind embankment	7.4.2.21
pump house with dry pit	7.4.2.23
pump house with separated foundation	7.4.2.22
pump house with wet pit	7.4.2.24
pump house	7.4.2.19
pump installation elevation	7.2.7.5
pump operating condition	7.2.6.4
pump operating point	7.2.6.3
pump operation condition range with high efficiency	7.2.6.6
pump performance table	7.1.4.2
pump proportional law	7.2.4.3
pump rotational speed	7.2.3.1
pump selection	7.1.4.1
pump setting height	7.2.7.6
pump shaft	7.2.2.3
pump shaft power	7.2.3.5
pump similarity condition	7.2.4.1
pump similarity law	7.2.4.2
pump system	7.1.2.1
pumping drainage and irrigation	3.1.3
pumping drainage area	7.1.1.2

pumping drainage	5.1.2.14
pumping irrigation area	7.1.1.1
pumping station efficiency	7.1.3.30
pumping station for both irrigation and drainage	7.4.1.4
pumping station group	7.4.1.14
pumping station head	7.1.3.16
pumping station project	3.5.1
pumping station	7.4.1.1
pumping system efficiency	7.1.3.31
pumping system head	7.1.3.17
pumping system	7.1.2.2
pumping well	4.4.4.13
purification of harvesting water	4.4.3.14

Q

qualified ratio of water pressure	6.6.9
qualified ratio of water quality	6.6.8
quality index for sprinkler irrigation	4.3.4.13
quick coupling	4.3.4.33

R

radial drainage pattern	5.2.2.5
radial well	4.4.4.15
radius of wetted bulb	4.3.5.10
rainfall flow retardation for waterlogging control	5.1.2.20
rainfall record	12.6.12
raking equipment	7.3.6.13
rapid filter	6.5.11
rapid-drop gate	7.3.6.3
ratio of drained and diverted water amounts	5.2.3.1
ratio of groundwater drain-off to evaporation	5.2.4.19
ratio of water surface area to drainage area	5.2.5.5
ravages of a drought	4.1.5.5
raw water	6.3.1
reaction rotating sprinkler	4.3.4.44
real time information of irrigation scheme	11.8.7
recession sluice	8.1.4.2
recharge from irrigation water infiltration	4.4.5.24

recharge from rainfall infiltration 4.4.5.23
 reclaimed water irrigation 4.4.1.9
 reduced voltage starting 7.3.1.6
 reel type sprinkler irrigation system
 4.3.4.38
 reference crop evapotranspiration 4.1.3.3
 reference point of land surface 4.5.1.42
 reflux valve 4.5.2.9
 refraction sprinkler 4.3.4.47
 regular pattern of crop water requirement
 4.1.3.8
 regulated deficit irrigation 4.2.1.20
 regulating sluice 8.1.1.5
 regulating structure 6.5.18
 regulation of pump operating point
 7.2.6.7
 relationship of crop yield vs. water and
 fertilizer used 4.1.4.2
 relationship of crop yield vs. water and
 salt 4.1.4.3
 relative characteristics 7.2.5.3
 relief drain 5.2.1.15
 remote monitoring of water level 11.7.5
 remote terminal unit 11.8.19
 repairing abrasion 7.2.8.3
 replication 4.6.9
 required head curve of pumping system
 7.2.6.2
 required head of pumping system 7.2.3.4
 required net positive suction head
 7.2.3.11
 reserving lake capacity for retarding
 runoff 5.2.5.4
 residential and public water consumption
 6.2.8
 residential area planning 11.1.9
 residential water consumption 6.2.6
 resistance curve of pipeline 7.2.6.1
 response time 11.8.18
 retaining wall 8.1.5.3
 retarding area 12.4.15
 retarding lake 5.2.1.19

retarding storage for waterlogging
 control 5.2.3.8
 return water pollution 10.1.4
 reused water quantity 6.6.17
 reverser 4.3.4.52
 rice dry-raising seedling and thin-planting
 4.3.7.6
 rigid connection 7.3.2.8
 riser pipe 4.3.4.32
 river dredging 12.4.5
 rolling 8.3.15
 rotating sprinkler 4.3.4.46
 rotational irrigation by group 4.5.1.24
 rotational irrigation period 4.5.1.25
 rotational irrigation 4.5.1.22、12.2.12
 rotodynamic pump 7.2.1.2
 rubber dam 8.1.1.2
 rural drinking water safety 6.1.3
 rural sewage treatment 6.8.1
 rural water conservancy 3.1.1
 rural water consumption 6.2.5
 rural water supply from urban pipe
 network 6.1.11
 rural water supply standard 9.2.9
 rush repair 11.3.4
 rushing drainage 5.1.2.17

S

safety evaluation of pumping station
 7.6.3.16
 safety factor of stability against
 floatation 7.4.2.29
 safety factor of stability against sliding
 7.4.2.28
 safety factor 8.2.10
 safety management of pumping station
 7.6.3.10
 safety operation rate 7.6.2.5
 safety valve 4.5.2.15
 saline-alkali land 5.2.6.1、12.1.10
 saline-alkali land drainage 5.2.6.5
 salt accumulation 5.2.6.6
 salt dilution method 7.5.2.6
 salt solution method 7.5.2.6

salt tolerance of crop	5.2.6.10	sensor	11.7.13
salt velocity method	7.5.2.7	separate layout of irrigation canal and drainage ditch	4.5.1.47
sand erosion of pump	7.2.8.1	separated drainage at different elevations	5.1.2.13
saturated soil water content	4.1.2.13	separated pier	7.4.2.13
seal	7.2.2.7	separated system	6.7.2
sealing strip	8.5.9	series pumping system	7.1.2.10
seawall	12.3.2	sewage treatment plant	6.8.2
secondary saline-alkali land	5.2.6.3	shaft drainage	5.1.2.6
secondary sewage treatment	6.8.4	shaft oscilation	7.5.1.4
sediment content of irrigation water	4.4.6.4	shaft-type pump house	7.4.2.26
sediment flushing by narrowing the banks	12.4.10	share coefficient of irrigation benefit	11.9.22
sediment silting	8.6.4	shidun	12.3.12
sedimentation basin for water harvest	4.4.3.7	ship lock	8.1.5.2
sedimentation basin	8.1.5.1	shuigong	12.6.3
sedimentation	6.4.2	shuiping	12.4.19
sedimentation tank	6.5.7	shutter weir	12.3.8
seed coating chemical	4.7.12	shut-down	7.6.1.4
seepage control with cement concrete lining	4.5.1.62	side-fitted emitter	4.3.5.23
seepage control with compacted soil	4.5.1.58	sikong	12.6.1
seepage control with geomembrane	4.5.1.63	silt carrying capacity of canal flow	4.5.1.33
seepage control with hard soil-cement pavement	4.5.1.61	silting basin	8.1.5.1
seepage control with soil-cement lining	4.5.1.60	siphon intake	4.4.4.11
seepage control with soil-lime pavement	4.5.1.59	siphon type outlet passage	7.4.2.34
seepage control with stabilized soil	4.5.1.64	site access	8.3.9
seepage interception ditch	5.2.1.11	sliding gate	7.3.6.7
seepage loss from canal	4.5.1.13	sliding pumping carriage	7.1.2.7、7.4.1.12
segregating area	4.6.11	slope failure	5.4.1
semi-automatic field water distribution system	11.8.2	slope finishing	8.3.14
semi-fixed sprinkler system	4.3.4.5	slope protection	8.5.4
sensitivity analysis	11.9.9	slow motion check valve	7.3.3.18
sensitivity index for crop water stress	4.1.4.4	slow sand filter	6.5.10
		sludge disposal	6.8.10
		sludge treatment	6.8.9
		sluice	8.1.1.3
		sluice valve	7.3.3.15
		slumping	11.3.7
		small polders merging into larger one	5.2.5.3

- small water harvesting pond 4.4.3.3、12.3.7
- snail killing in irrigation district 10.3.4
- social benefit 11.9.27
- socio-economic survey of irrigation
district 11.1.4
- socket pipe 7.3.3.5
- soil aeration 4.1.2.8
- soil alkalization 4.1.2.28
- soil amelioration 4.1.2.4
- soil and water conservation for pastoral
area 9.4.1
- soil bulk density 4.1.2.30
- soil capillary water 4.1.2.16
- soil drainage property 5.1.1.23
- soil drought 4.1.5.3
- soil evaporation 4.1.2.18
- soil evaporation 4.1.3.1
- soil fertility 4.1.2.6
- soil gleying process 4.1.2.29
- soil hardening; soil crust 4.1.2.5
- soil hydraulic conductivity 4.1.2.24
- soil improvement 4.1.2.4
- soil matric potential 4.1.2.21
- soil moisture; soil water 4.1.2.10
- soil organic matter 4.1.2.7
- soil porosity 4.1.2.9
- soil properties 4.1.2.1
- soil salinization 4.1.2.27
- soil structure 4.1.2.3
- soil texture 4.1.2.2
- soil water characteristic curve 4.1.2.23
- soil water constant 4.1.2.12
- soil water content 4.1.2.11
- soil water diffusivity 4.1.2.25
- soil water infiltration 4.1.2.19
- soil water potential 4.1.2.20
- soil water status 4.1.5.6
- soil water stress coefficient 4.1.3.11
- soil water suction 4.1.2.22
- soil water-air ratio 5.1.1.8
- soil-plant-atmosphere continuum (SPAC)
..... 4.1.3.13
- solar pumping system 7.1.2.4
- solute transport 3.7.2
- sorption 10.2.1
- sound level meter 7.5.2.19
- space of subsurface pipe 5.2.4.23
- spare coefficient of motive power machine
..... 7.2.3.7
- spare unit 7.1.4.6
- specific soil water capacity 4.1.2.26
- specific speed of pump 7.2.4.4
- specific yield 4.4.5.16
- specific yield 4.4.5.17
- speed regulation 7.2.6.9
- spilling weir 8.1.4.5
- spray pattern 4.3.4.29
- spray tape 4.3.5.32
- spring irrigation 12.2.2
- sprinkler 4.3.4.41
- sprinkler arrangement 4.3.4.30
- sprinkler coefficient 4.3.4.21
- sprinkler irrigation 4.3.1.9
- sprinkler irrigation project 4.3.4.3
- sprinkler irrigation system 4.3.4.2
- sprinkler irrigation system with side-roll
wheel 4.3.4.37
- sprinkler irrigation technique 4.3.4.1
- sprinkler pattern range 4.3.4.28
- sprinkler site 4.3.4.27
- sprinkler system with portable pipe
..... 4.3.4.6
- sprinkling irrigation machine 4.3.4.34
- standard hay 9.1.12
- standard sheep unit 9.1.11
- starting level for drainage 5.2.5.7
- static balancing of pump rotor 7.5.1.1
- steel corrosion 8.6.9
- steeping paddy field 4.2.1.4
- step-down voltage starting 7.3.1.6
- stock bathing facility 9.2.14
- stock raising year 9.4.6
- stock road between grazing lands 9.2.17
- stockade grassland 9.3.2
- stone coop 12.3.13

- stone seawall 12.3.3
 - stone water-level 12.4.18
 - storage coefficient of irrigation pond
..... 4.4.2.4
 - storage coefficient of water cellar 4.4.3.6
 - storage irrigation 4.2.1.16
 - storeyed intake 4.4.4.9
 - storm runoff 6.7.6
 - straight-pipe type outlet conduit 7.4.2.33
 - straw mulching 4.7.3
 - strip field 4.5.1.49
 - structure for irrigation and drainage 3.1.10
 - structures of pumping station 3.5.5
 - submerged depth of inlet pipe 7.4.2.11
 - submerged discharge of pipe flow 8.2.4
 - submerged type pump house 7.4.2.27
 - submerged vortex originating from
bottom 7.4.2.9
 - submerged vortex originating from
side wall 7.4.2.8
 - submersible pump 7.2.1.8
 - subsurface drain experiment 5.3.1
 - subsurface drainage 5.1.2.2
 - subsurface drainage discharge 5.2.4.16
 - subsurface drip irrigation 4.3.5.8
 - subsurface pipe drain system 5.2.1.2
 - subsurface pipe drainage 5.1.2.4
 - subsurface waterlogging 5.1.1.6
 - subsurface waterlogging control 5.2.1.6
 - subsurface waterlogging due to ponded
water 5.1.1.9
 - subsurface waterlogging due to spring
outflow 5.1.1.12
 - subsurface waterlogging due to
submergence 5.1.1.11
 - subsurface waterlogging due to
surface water seepage 5.1.1.10
 - subsurface waterlogging in acid area
..... 5.1.1.14
 - subsurface waterlogging in saline area
..... 5.1.1.13
 - subsurface waterlogging tolerance of crop
..... 5.1.1.7
 - suction casing 7.2.2.4
 - suction pipe 7.3.3.3
 - suction specific speed 7.2.7.4
 - suction sump 7.4.2.6
 - suitable soil water content for crop
growth 4.2.1.10
 - suitable temperature of irrigation water
..... 4.4.6.5
 - suitable water condition of farmland
..... 5.1.1.2
 - suitable water depth of paddy field
..... 4.2.1.7
 - summer grazing land 9.2.19
 - sump 5.2.1.17
 - super absorbent polymer 4.7.10
 - supplement from groundwater 4.2.1.13
 - supplementary irrigation with catchment
rainfall 4.4.1.8
 - surface coating 8.5.6
 - surface drainage 5.1.2.1
 - surface irrigation elements 4.3.1.2
 - surface irrigation 4.3.1.1
 - surface vortex 7.4.2.7
 - surge flow irrigation 4.3.1.14
 - surge valve 4.3.6.1
 - suspended solid 6.7.7
 - switch board 7.3.4.5
 - system of ditch and canal 12.2.5
- T**
- tamping 8.3.16
 - technical management of pumping station
..... 7.6.3.1
 - technical oil supply facility 7.3.5.2
 - technical renovation of pumping station
..... 7.6.3.11
 - technical water supply facilities 7.3.5.7
 - technical water supply system 7.3.5.6
 - temporary canal 4.5.1.45
 - tensiometer 4.6.6
 - termitaria leakage 8.6.2
 - terraced farmland 12.1.3
 - terraced field 4.5.1.56
 - test running of pumping unit 7.5.1.7

the highest storage level 5.2.5.10
 the lowest storage level 5.2.5.8
 “thin-exposure” irrigation for rice field
 4.3.7.4
 “thin-shallow-wet-dry” irrigation for
 rice field 4.3.7.2
 Thoma cavitation coefficient of pump
 7.2.7.3
 three way pipe 7.3.3.10
 throttling regulation 7.2.6.8
 through-flow pump 7.2.1.7
 tidal drainage and irrigation 5.1.2.18
 tidal pumping station 7.4.1.10
 tide farmland 12.1.7
 torque-meter 7.5.2.15
 total drainage from town and village 6.7.3
 total input power of pumping station
 7.1.3.26
 total motive power of pumping station
 7.1.3.25
 toxic metal 10.1.3
 transducer 11.7.13
 transmission device of pumping unit
 7.3.2.1
 transmission efficiency 7.3.2.6
 transmission ratio 7.3.2.7
 transpiration 4.1.1.5
 transpiration and evaporation inhibitor
 4.7.11
 transpiration efficiency 4.1.1.6
 transversal layout of sublateral 4.5.1.52
 trash rack 7.3.6.12
 trenchless plow 5.1.4.3
 trickle irrigation 4.3.1.11
 tube well 4.4.4.14
 tunnel 8.1.2.4
 turbine pump 7.2.1.11
 turbine sprinkler 4.3.4.43
 turbine-pump station 7.4.1.9
 turn grazing 9.4.7
 twin-wall hose 4.3.5.27
 two layered drainage 5.1.2.10
 two-way inlet conduit 7.4.2.18

two-way outlet conduit 7.4.2.37
 typical year for irrigation design 4.2.2.6
 T-branch pipe 7.3.3.10
 T-shaped pipe 7.3.3.10

U

ultrasonic flow-meter 7.5.2.8
 ultrasonic gauge 11.7.16
 unconfined water 4.4.5.13
 under drain 4.5.1.40
 underground reservoir 4.4.1.5
 unit consumption of medicine 6.6.11
 unit energy consumption 7.6.2.6
 unit operation monitoring 7.6.1.3
 unit starting 7.6.1.1
 united water supply system 6.1.5
 universal characteristics 7.2.5.4
 unstable condition of pump operation
 7.2.6.5
 unstable slope 8.3.12
 upper limit of soil water content for
 irrigation 4.2.1.11
 upstream control 11.8.17
 useful life 11.9.31
 usual water level of drainage ditch
 5.2.4.5

V

vacuum breaker 7.3.5.19
 vacuum suction lift 7.2.3.15
 valve 4.5.2.8
 vane pump 7.2.1.2
 vent valve 4.5.2.12
 ventilating equipment 7.3.5.15
 vertical displacement observation 8.5.3
 vibration transducer 7.5.2.20
 volatilization 10.2.3
 volume of water supply and drainage
 7.6.2.4
 volute casing 7.2.2.5
 vortex emitter 4.3.5.24

W

wall bushing 7.3.3.12
 warping irrigation 4.4.1.4、12.2.10
 wash-out valve 4.5.2.13

wastewater reclamation and reuse	6. 8. 8	water management in ration	11. 4. 6
wastewater treatment	3. 4. 7	water meter	11. 7. 9
water allocation center of irrigation district	11. 8. 10	water overchute	12. 4. 1
water and soil environment and ecology in rural area	3. 1. 12	water physiological properties of crop	4. 1. 1. 1
water balance of irrigation reservoir	4. 4. 2. 5	water pollution source	10. 3. 1
water cellar (dry well)	4. 4. 3. 1	water purification project	6. 5. 2
water cellar volume	4. 4. 3. 5	water purifier	6. 5. 13
water charging system	11. 8. 11	water quality assessment	4. 4. 6. 6
water conservancy computation	4. 4. 2. 1	water quality improvement to prevent endemic disease	6. 1. 2
water conservancy for stock raising	3. 1. 11	water resource management	6. 6. 1
water conservancy in pastoral area	3. 1. 11	water source for irrigation	3. 2. 3
water consumption norm	6. 2. 10	water supply and drainage cost	7. 6. 2. 3
water conveyance project	6. 5. 14	water supply capacity	6. 2. 2
water cooler	7. 3. 5. 12	water supply cost for pasture	9. 2. 16
water deficit grassland	9. 2. 1	water supply cost	6. 6. 14
water demand prediction	6. 2. 11	water supply extent	6. 2. 1
water distribution work	9. 2. 4	water supply facility management	6. 6. 5
water efficiency in field	4. 5. 1. 18	water supply for pasture	3. 6. 3
water efficiency of canal system	4. 5. 1. 17	water supply for village and town	3. 1. 8
water efficiency of canal	4. 5. 1. 16	water supply management	3. 4. 5
water efficiency of irrigation	4. 5. 1. 19	water supply planning	3. 4. 1
water environment impact assessment	10. 3. 11	water supply pressure	6. 2. 4
water environment remediation	10. 3. 13	water supply profit	6. 6. 15
water environmental capacity	10. 3. 2	water supply project	3. 4. 4
water extraction by roots	4. 1. 1. 15	water supply quality management	6. 6. 3
water gate	12. 3. 4	water supply quality monitoring	6. 6. 4
water hammer in pumping station	7. 6. 1. 7	water supply quality	6. 2. 3
water harvesting area	4. 4. 3. 11	water supply quantity of pond	4. 4. 2. 3
water harvesting efficiency	4. 4. 3. 12	water supply radius for stock	9. 2. 13
water harvesting land	4. 4. 3. 10	water supply scale	9. 2. 11
water harvesting project	4. 4. 3. 9	water supply source	3. 4. 2
water harvesting volume	4. 4. 3. 13	water supply station	11. 5. 10
water intake sluice	8. 1. 1. 7	water supply system for pasture	9. 2. 3
water intercepted by plant	4. 3. 4. 55	water supply system with classified quality	6. 1. 6
water kiln	4. 4. 3. 2	water supply system with different pressures	6. 1. 7
water law	12. 6. 9	water supply system	6. 1. 4
water level for runoff retardation	5. 2. 5. 9	water supply type	9. 2. 10
water level transducer	7. 5. 2. 13	water supply volume	6. 6. 16
		water supply well	9. 2. 5

water supply with constant water		water-saving irrigation	4. 3. 1. 17
pressure	6. 5. 23	water-supply equity	11. 9. 18
water system	7. 3. 5. 5	water-supply flexibility	11. 9. 20
water tank	9. 2. 8	water-supply reliability	11. 9. 19
water tax	12. 6. 13	water-supply safety	11. 9. 17
water tower	6. 5. 20	weir	12. 3. 1
water treatment plant	6. 5. 3	well	4. 4. 4. 12
water treatment	3. 4. 3	well discharge	4. 4. 5. 8
water trough for stock drinking	9. 2. 7	well pumping station for irrigation	7. 4. 1. 5
water uniformity of sprinkler irrigation		width-depth ratio	4. 5. 1. 30
	4. 3. 4. 15	wilting coefficient	4. 1. 2. 15
water uptake by roots	4. 1. 1. 15	wilting point	4. 1. 2. 15
water use in irrigation	3. 2. 2	wind pumping system	7. 1. 2. 3
water use program of canal system		wind speed function	4. 1. 3. 12
	11. 4. 2	winter grazing land	9. 2. 18
water user association	11. 5. 9	working intensity	8. 3. 6
water wagon	12. 5. 2	wotie	12. 4. 16
waterlogging control	5. 2. 1. 4		X
waterlogging tolerance of crop	5. 1. 1. 5	xerothermic wind	4. 1. 5. 7
waterlogging	5. 1. 1. 4		Z
waterstop strip	8. 5. 9	zoned water supply system	6. 1. 8